References

1. J. Srivastava, R. Cooley, M. Deshpande, P.-N. Tan(2000), Web usage mining: discovery and applications of usage patterns from web data, SIGKDD Explorations, 1(2), 12–23.
2. R. Kosala, H. Blockeel(2000), Web mining research: a survey, SIGKDD: SIGKDD explorations: newsletter of the special interest group (SIG) on knowledge discovery & data mining, ACM 2 (1), 1–15
3. R. Kohavi, R. Parekh(2003), Ten supplementary analyses to improve e-commerce web sites, in: Proceedings of the Fifth WEBKDD workshop.
4. B. Mobasher R. Cooley, and J. Srivastava(1999), Creating Adaptive Web Sites through usage based clustering of URLs, in IEEE knowledge & Data Engg work shop (KDEX'99).
5. Bettina Berendt(2000), Web usage mining, site semantics, and the support of navigation, in Proceedings of the Workshop WEBKDD'2000 - Web Mining for E-Commerce - Challenges and Opportunities, 6th ACM SIGKDD Int. Conf. on Knowledge Discovery and Data Mining, Boston, MA
6. B. Berendt and M. Spiliopoulou(2000), Analysis of Navigation Behaviour in Web Sites Integrating Multiple Information Systems. VLDB, 9(1), 56-75
7. Joshi and R. Krishnapuram(2000), On Mining Web Access Logs. In ACM SIGMOD Workshop on Research Issues in Data Mining and Knowledge Discovery, pages, 63- 69
8. Shahabi and F. B. Kashani(2002), A Framework for Efficient and Anonymous Web Usage Mining Based on Client-Side Tracking. In WEBKDD 2001 - Mining Web Log Data Across All Customers Touch Points, Third International Workshop, San Francisco, CA, USA, August 26, 2001, Revised Papers, volume 2356 of LNCS, Springer, 113-144
9. Y. Fu, K. Sandhu, and M. Shih(2000), A Generalization-Based Approach to Clustering ofWeb Usage Sessions. In Proceedings of the 1999 KDD Workshop on Web Mining, San Diego, CA, vol. 1836 of LNAI,. Springer, 21-38
10. M. S. Chen, J. S. Park, and P. S. Yu(1998). Efficient Data Mining for Path Traversal Patterns. Knowledge and Data Engineering, 10(2), 209-221

11. B. Mobasher, H. Dai, T. Luo, and M. Nakagawa (2002). Discovery and Evaluation of Aggregate Usage Profiles for Web Personalization. Data Mining and Knowledge Discovery, 6(1), 61-82,
12. M. El-Sayed, C. Ruiz, and E. A. Rundensteiner(2004), FS-Miner: Efficient and Incremental Mining of Frequent Sequence Patterns in Web Logs. In Proceedings of the Sixth Annual ACM International Workshop on Web Information and Data Management (WIDM '04), ACM Press, 128-135
13. B. Berendt, B. Mobasher, M. Nakagawa, and M. Spiliopoulou(2002), The Impactof Site Structure and User Environment on Session reconstruction in Web Usage Analysis. In Proceedings of the Forth WebKDD 2002 Workshop, at the ACM-SIGKDD Conference on Knowledge Discovery in Databases (KDD'2002), Edmonton, Alberta, Canada.
14. C. Marquardt, K. Becker, and D. Ruiz(2004), A Pre-Processing Tool for Web Usage Mining in the Distance Education Domain. In Proceedings of the International Database Engineering and Applications Symposium (IDEAS'04), 78-87.
15. Jiang Chang-bin; Chen Li(2010), Web Log Data Preprocessing Based on Collaborative Filtering, *Education Technology and Computer Science (ETCS), 2010 Second International Workshop on* , vol.2, no., pp.118,121, 6-7.
16. ThanakornPamutha, SiripornChimphlee, ChomKimpan et al.(2012), Data Preprocessing on Web Server Log Files for Mining Users Access Patterns, International Journal of Research and Reviews in Wireless Communications (IJRRWC) Vol. 2, No. 2, ISSN: 2046-6447 © Science Academy Publisher, United Kingdom.
17. Jinlin Chen, (2010) An UpDown Directed Acyclic Graph Approach for Sequential Pattern Mining, IEEE Transactions on Knowledge and Data Engineering, Vol. 22, No. 7, pp. 913-928.
18. Ding-An Chiang, Cheng-Tzu Wang, Shao-Ping Chen. & Chun-Chi Chen, (2009) The Cyclic Model Analysis on Sequential Patterns, IEEE Transactions on Knowledge and Data Engineering, Vol. 21, No. 11, pp. 1617 – 1628.
19. Yu Hirate. &HayatoYamana, (2006) Generalized Sequential Pattern Mining with Item Intervals, Journal of Computers, Vol. 1, No. 3, pp. 51-60.
20. Mohammed J. Zaki, (2001) Spade: An Efficient Algorithm For Mining Frequent sequences, Machine Learning, Vol. 42, pp. 31-60.

21. Zhenglu Yang. & Masaru Kitsuregawa, (2005) LAPIN-SPAM: An Improved Algorithm for Mining Sequential Pattern, IEEE International Conference on Data Engineering Workshops, pp. 1222- 1226.
22. Zhenglu Yang, Yitong Wang. & Masaru Kitsuregawa, (2007) LAPIN: Effective Sequential Pattern Mining Algorithms by Last Position Induction for Dense Databases, International Conference on Database systems for advanced applications, pp. 1020-1023.
23. Jianyong Wang, Jiawei Han. & Chun Li, (2007) ,Frequent Closed Sequence Mining without Candidate Maintenance, IEEE Transactions on Knowledge and Data Engineering, Vol.19, No. 8, pp. 1042-1056.
24. Kuo-Yu Huang, Chia-Hui Chang, Jiun-Hung Tung. & Cheng-Tao Ho, (2006) COBRA: Closed Sequential Pattern Mining Using Bi-phase Reduction Approach, International Conference on Data Warehousing and Knowledge Discovery, pp. 280-291.
25. Jian Pei, Jiawei Han, BehzadMortazavi-Asl, Jianyong Wang, Helen Pinto, Qiming Chen, UmeshwarDayal. & Mei-Chun Hsu, (2004) ,Mining Sequential Patterns by Pattern-Growth: The PrefixSpan Approach, IEEE Transactions on Knowledge and Data Engineering, Vol. 16, No. 11, pp. 1424- 1440.
26. Xiaorong Cheng. & Hong Liu, (2009) ,Personalized Services Research Based On Web Data Mining Technology, IEEE International Symposium on Computational Intelligence and Design, pp. 177- 180.
27. Ford LumbanGaol, (2010) ,Exploring The Pattern of Habits of Users Using Web Log Sequential Pattern, IEEE International Conference on Advances in Computing, Control and Telecommunication Technologies, pp. 161-163.
28. Jian Pei, Jiawei Han, BehzadMortazavi-asl. &Hua Zhu (2000) ,Mining Access Patterns Efficiently from Web Logs, Pacific-Asia Conference on Knowledge Discovery and Data Mining Current Issues and New Applications, pp. 396-407.
29. Tan Xiaoqiu, Yao Min. & Zhang Jianke (2006) ,Mining Maximal Frequent Access Sequences Based on Improved WAP-tree, IEEE International Conference on Intelligent Systems Design and Applications, pp. 616-620.
30. Sen Yang, JiankuiGuo. &Yangyong Zhu, (2007),An Efficient Algorithm for Web Access Pattern Mining, Fourth International Conference on Fuzzy Systems and Knowledge Discovery, pp. 726 – 729.
31. Lizhi Liu. & Jun Liu (2010), Mining Web Log Sequential Patterns with Layer Coded

Breadth-First Linked WAP-Tree, IEEE International Conference on Information Science and Management Engineering, pp. 28-31.

32. V. Mohan, S. Vijayalakshmi .& S. Suresh Raja, (2009) Mining Constraint-based Multidimensional Frequent Sequential Pattern in Web Logs, European Journal of Scientific Research, Vol. 36, No. 3, pp. 480-490.
33. Hai-yan Wu, Jing-jun Zhu. &Xin-yu Zhang, (2009) The Explore of the Web-based Learning Environment based on Web Sequential Pattern Mining, IEEE International Conference on Computational Intelligence and Software Engineering, pp. 1-6.
34. BhupendraVerma, Karunesh Gupta, ShivaniPanchal. & Rajesh Nigam, (2010) Single Level Algorithm: An Improved Approach for Extracting User Navigational Patterns to Technology, International Conference on Computer & Communication Technology, pp. 436-441.
35. OlfaNasraoui, MahaSoliman, EsinSaka, Antonio Badia. & Richard Germain, (2008) A Web Usage Mining Framework for Mining Evolving User Profiles in Dynamic Web Sites, IEEE Transactions on Knowledge and Data Engineering, Vol. 20, No. 2, pp. 202-215.
36. Arthur Pitman. & Markus Zanker, (2010) Insights From Applying Sequential Pattern Mining To E- Commerce Click Stream Data, IEEE International Conference on Data Mining Workshops, pp. 967-975.
37. FlorentMasseglia, MaguelonneTeisseire. & Pascal Poncelet, (2002) Real Time Web Usage Mining with a Distributed Navigation Analysis, International Workshop on Research Issues in Data Engineering, pp. 169-174.
38. Baoyao Zhou, Siu Cheung Hui. &Kuiyu Chang, (2004) An Intelligent Recommender System using Sequential Web Access Patterns, IEEE Conference on Cybernetics and Intelligent Systems, pp. 393- 398.
39. Show-Jane Yen, Yue-Shi Lee. & Min-Chi Hsieh, (2005) An Efficient Incremental Algorithm for Mining Web Traversal Patterns, IEEE International Conference on e-Business Engineering, pp. 274-281.
40. Zhennan Zhang, XuQian. & Yu Zhao, (2008) Galois Lattice for Web Sequential Patterns Mining, IEEE Pacific-Asia Workshop on Computational Intelligence and Industrial Application, pp. 102-106.
41. Dr. Suresh Jain, Ratnesh Kumar Jain. & Dr. R. S. Kasana, (2009) Efficient Web Log Mining using Doubly Linked Tree, International Journal of Computer Science and Information

Security, Vol. 3, No. 1, pp. 1-5.

42. Dhirendra Kumar Jha, Anil Rajput, Manmohan Singh. &ArchanaTomar, (2010) An Efficient Model for Information Gain of Sequential Pattern from Web Logs based on Dynamic Weight Constraint, IEEE International Conference on Computer Information Systems and Industrial Management Applications, pp. 518-523.
43. Xiaogang Wang, Yan Bai. &Yue Li, (2010) An Information Retrieval Method Based on Sequential Access Patterns, IEEE Asia-Pacific Conference on Wearable Computing Systems, pp. 247-250.
44. KanakSaxena. & Rahul Shukla, (2010) Significant Interval and Frequent Pattern Discovery in Web Log Data, IJCSI International Journal of Computer Science Issues, Vol. 7, No. 3, pp. 29-36.
45. DiamantoOikonomopoulou, Maria Rigou, SpirosSirmakessis. &AthanasiosTsakalidis, (2004) Full- Web Prediction based on Web Usage Mining and Site Topology, IEEE/WIC/ACM International Conference on Web Intelligence, pp. 716-719.
46. Rajimol A. &Raju G, (2011) Mining Maximal Web Access Patterns- A New Approach, International Journal of Machine Intelligence, Vol. 3, No. 4, pp. 346-348.
47. Configuration files of W3C httpd, http://www.w3.org/Daemon/User/Config/ (1995).
48. *W3C Extended Log File Format*, http://www.w3.org/TR/WD-logfile.html (1996).
49. Loon T.S and Bhargavan V(1997), Alleviating the latency and bandwidth problem in WWW browsing, *In Proc. of the USENIX Symposium on Internet Technologies and Systems* USITS'97.
50. Ibrahim, T and Xu C Z(2000), Neural Nets based Predictive prefetching to tolerate WWW latency, *In Proc. of the 20th International conference on Distributed Computing Systems, IEEE,* Taipei, Taiwan, Republic of China.
51. T. Palpanas and A. Mendelzon(1999), Web Prefetching Using Partial Match Prediction, *In Proc. Fourth Web Caching Workshop (WCW '99)*.
52. B. Lan, S. Bressan, B.C. Ooi, and Y. Tay(1999), Making Web Servers Pushier, *In Proc. Workshop Web Usage Analysis and User Profiling (WEBKDD '99)*.
53. J. Pitkow and P. Pirolli(1999), Mining Longest Repeating Subsequences to Predict World Wide Web Surfing, *In Proc. USENIX Symp. Internet Technologies and Systems (USITS '99)*.
54. R. Sarukkai(2000), Link Prediction and Path Analysis Using Markov Chains, *Computer Networks,* 33(1-6), pp 377-386.

55. Markatos E P and Chronaki C E(,1998) A Top-10 approach to prefetching on the Web, *In Proc. of the 8th annual conference of the Internet Society,* INET '98, Geneva, Switzerland,.
56. Padmanabhan V N and Mogul J C , Using predictive prefetching to improve WWW latency, *In Proc. of ACM Computer Communication Review,* Vol 26, No.3, 996. 23-36.
57. Tian W, Choi B, and Phoha V V(2002), An Adaptive Web cache access predictor using Neural Network, In Proc. of the 15th International Conference on Industrial and Engineering *Applications of AI and Expert Systems*, Cairns, Australia, pp 450-459.
58. S K Rangarajan, V VPhoha, S SIyengar(2004), Adaptive Neural Network Clustering of Web users, In the Proc. of IEEE CSI magazine, 34-40.
59. Mathias Gery, Hatem Haddad(2003), Evaluation of Web usage mining approaches for user's next request prediction, In Proc. of the 5th ACM International Workshop on Web Information and Data Management, New Orleans, Lousiana, USA, pp 74–81.
60. R. Agrawal, R. Srikant(1994), Fast algorithms for mining association rules, *In Proc. of the 20th* International Conference on Very Large Data Bases, pp 487–499.
61. R. Agrawal, R. Srikant(1995), Mining sequential patterns, In Proc. of the 11th IEEE International Conference on Data Engineering, pp 3–14.
62. E. Frias-Martinez, V. Karamcheti(2002), A prediction model for user access sequences, In Proc. of the WEBKDD Workshop on Web Mining for Usage Patterns and User Profiles.
63. Tobias Flach, Nandita Dukkipati, Andreas Terzis(2013), Reducing web latency: the virtue of gentle aggression,In Proceedings of the ACM SIGCOMM 2013 conference on Special Interest Group on Data Communication ,pp 159-170